

# Stock #3380

<u>DBCode</u>	<u>Description</u>	<u>Value</u>	
	PRICE LEVEL INFORMATION		
PRL-16M	M2 PRL-16M (EFF:04/25/17)		
	GENERAL APPLICATION INFORMATION		
AA1-002	TRUCK CONFIGURATION		
AA6-003	DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE		
AA3-001	DRY VAN BODY		
AA2-998	NO TRAILER SPECIFIED		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AA4-001	GENERAL FREIGHT COMMODITY		
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT		
A66-99D	EXPECTED FRONT AXLE(S) LOAD	12000	LBS
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD	21000	LBS
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	33000	LBS
A70-99D	EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	186.417	IN
AL8-99D	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	EXPECTED TRUCK BODY LENGTH	264	IN
AL4-	CALC'D FRAME LENGTH BACK OF CAB	306.496	IN

99D			
AL6-99D	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-39.496	IN
AM1-99D	CALC'D OVERALL LENGTH AT BODY OR EOF	412.795	IN
AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	80.038	MPH
AF7-99D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN
AK2-99D	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.908	IN
AR1-99D	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	41.288	IN
AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.409	IN
AM0-99D	TOP OF FRM TO RR TIRE TOP-UNLD	-0.291	IN
ALG-99D	CALC'D CAB HEIGHT ABOVE FRAME	62.799	IN
ALJ-99D	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	101.791	IN
ALH-99D	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	104.116	IN
AF3-146	MULTIVANS, INC. MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
A59-99D	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000	LBS
A60-99D	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	RATED MAXIMUM VEHICLE CAPACITY - GVWR	33000	LBS
	BASE MODEL		
001-172	M2 106 CONVENTIONAL CHASSIS	F 5759	R 3503
004-218	2018 MODEL YEAR SPECIFIED		
995-091	MEDIUM TRUCK WARRANTY		
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION ENGINE		
101-21V	CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 66 0 LB/FT @ 1600 RPM		
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F		

## INAL GHG17 CONFIGURATION

- 99Z-004 VEHICLE IS SUBJECT TO EPA GHG14/GHG17, DOES NOT HAVE REGULATORY VEHICLE SPEED LIMITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN (AES)
- 99D-010 NO 2008 CARB EMISSION CERTIFICATION
- 992-001 50 STATE EMISSIONS CERTIFICATION
- 28F-002 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
- 79A-065 65 MPH ROAD SPEED LIMIT
- 79B-000 CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
- 79C-998 NO DRIVER FUEL ECONOMY INCENTIVE
- 79D-998 NO PROGRESSIVE SHIFTING
- 79E-998 NO LOW RANGE TORQUE PROTECT
- 79F-998 NO FLEET MANAGEMENT
- 79G-998 NO IDLE SHUTDOWN CONFIGURATION
- 79J-998 NO PTO SHUTDOWN CONFIGURATION
- 79K-007 PTO MODE ENGINE RPM LIMIT - 1100 RPM
- 79L-998 PTO MODE THROTTLE OVERRIDE DISABLED
- 79M-001 PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED
- 79N-998 NO PTO MODE CLUTCH OVERRIDE
- 79P-002 PTO RPM WITH CRUISE SET SWITCH - 700 RPM
- 79Q-003 PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
- 79R-998 NO PTO MODE COOLING FAN
- 79S-001 PTO MODE CANCEL VEHICLE SPEED - 5 MPH
- 79T-998 NO PTO MODE RPM INCREMENT
- 79U-007 PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
- 79V-998 NO PTO MODE DPF REGEN
- 79W-998 REMOTE PTO DISABLED
- 79X-998 NO REMOTE PTO SPEED 1 SETTING
- 79Y-998 NO REMOTE PTO SPEED 2 SETTING
- 79Z-998 NO REMOTE PTO SPEED 3 SETTING
- 80A-998 NO ALTERNATE ROAD SPEED LIMIT
- 80B-998 NO CHECK ENGINE LIGHT ON OVERSPEED
- 80C-998 NO ENGINE BRAKE WITH CRUISE CONTROL
- 80D-998 NO SOFT CRUISE CONTROL
- 80E-998 NO ENGINE FAN WITH RETARDER
- 80F-998 NO MAINTENANCE MONITOR

80G-002 PTO MINIMUM RPM - 700  
80H-998 NO ACCELERATION MANAGEMENT  
80J-002 REGEN INHIBIT SPEED THRESHOLD - 5 MPH  
80R-998 NO DRIVETRAIN TORQUE PROTECTION  
84E-000 PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
84F-000 SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
84G-000 PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
84H-000 SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
84J-000 ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
84K-000 ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE  
84L-000 DYNAMIC SHIFT SENSING AND ACCELERATION RATE MANAGEMENT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE  
84N-000 NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED  
85E-998 TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED  
85F-998 TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED  
85G-998 TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED  
85H-998 TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED  
ENGINE EQUIPMENT  
13E-001 STANDARD OIL PAN  
105-001 ENGINE MOUNTED OIL CHECK AND FILL  
104-998 NO ENGINE OIL DRAIN/SAMPLE  
133-004 ONE PIECE VALVE COVER  
014-099 SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER  
124-1D7 DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE  
292-098 (2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED ST

UD BATTERIES

290-017 BATTERY BOX FRAME MOUNTED

281-001 STANDARD BATTERY JUMPERS

282-003 SINGLE BATTERY BOX FRAME MOUNTED LH SIDE  
BACK OF CAB

291-017 WIRE GROUND RETURN FOR BATTERY CABLES WI  
TH ADDITIONAL FRAME GROUND RETURN

289-001 NON-POLISHED BATTERY BOX COVER

33M-  
998 NO AUXILIARY POWER DISTRIBUTION MANAGEME  
NT

293-058 POSITIVE LOAD DISCONNECT WITH CAB MOUNTE F 8  
D CONTROL SWITCH MOUNTED OUTBOARD DRIVER  
SEAT

295-998 NO JUMPSTART POST

180-998 NO CLUTCH

183-998 NO CLUTCH BRAKE

181-998 NO CLUTCH RELEASE BEARING LUBE

182-998 NO CLUTCH RELEASE

107-032 CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE  
SSOR WITH INTERNAL SAFETY VALVE

108-002 STANDARD MECHANICAL AIR COMPRESSOR GOVER  
NOR

131-013 AIR COMPRESSOR DISCHARGE LINE

152-041 ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT  
ECTION SYSTEM

128-076 CUMMINS EXHAUST BRAKE INTEGRAL WITH VARI F 20  
ABLE GEOMETRY TURBO WITH ON/OFF DASH SWI  
TCH

016-1C3 RH OUTBOARD UNDER STEP MOUNTED HORIZONTA  
L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH  
HORIZONTAL TAILPIPE

239-001 STANDARD EXHAUST SYSTEM LENGTH

233-998 NO EXHAUST BRIGHTWORK (PLAIN)

237-052 RH STANDARD HORIZONTAL TAILPIPE

23U-002 13 GALLON DIESEL EXHAUST FLUID TANK F 35 R 10

43W-  
001 STANDARD DIESEL EXHAUST FLUID SYSTEM COO  
LANT PLUMBING

30N-003 100 PERCENT DIESEL EXHAUST FLUID FILL

23Z-998 NO DIESEL EXHAUST FLUID TANK COVER

43X-002 LH MEDIUM DUTY STANDARD DIESEL EXHAUST F  
LUID TANK LOCATION

23Y-001 STANDARD DIESEL EXHAUST FLUID PUMP MOUNT  
ING

43Y-001 STANDARD DIESEL EXHAUST FLUID TANK CAP

242-998 NO MUFFLER/TAILOPIPE SHIELD  
 273-035 HORTON HT650 FRONTAL AIR ON/OFF ENGINE F  
 AN CLUTCH  
 276-001 AUTOMATIC FAN CONTROL WITHOUT DASH SWITC  
 H, NON ENGINE MOUNTED  
 110-003 CUMMINS SPIN ON FUEL FILTER  
 118-001 FULL FLOW OIL FILTER  
 120-998 NO COOLANT FILTER  
 266-078 950 SQUARE INCH ALUMINUM RADIATOR  
 103-040 ANTIFREEZE TO -60F, OAT (NITRITE AND SIL  
 ICATE FREE) EXTENDED LIFE COOLANT  
 171-007 GATES BLUE STRIPE COOLANT HOSES OR EQUIV  
 ALENT  
 172-001 CONSTANT TENSION HOSE CLAMPS FOR COOLANT  
 HOSES  
 270-016 RADIATOR DRAIN VALVE  
 168-002 LOWER RADIATOR GUARD  
 360-998 NO FRONT ENGINE PTO  
 361-998 NO REAR ENGINE PTO  
 138-010 PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK H F 4  
 EATER  
 141-998 NO COOLANT HEATER - GAS/DSL  
 166-998 NO OIL PREHEATER  
 140-022 CHROME ENGINE HEATER RECEPTACLE MOUNTED  
 UNDER LH DOOR  
 134-001 ALUMINUM FLYWHEEL HOUSING  
 132-004 ELECTRIC GRID AIR INTAKE WARMER  
 155-058 DELCO 12V 38MT HD STARTER WITH INTEGRATE  
 D MAGNETIC SWITCH  
 TRANSMISSION & EQUIPMENT  
 342-  
 1MN ALLISON 2500 RDS AUTOMATIC TRANSMISSION  
 WITH PTO PROVISION  
 352-998 NO AUXILIARY TRANSMISSION  
 343-301 ALLISON VOCATIONAL PACKAGE 354 - AVAILAB  
 LE ON 1000/2000 PRODUCT FAMILIES WITH VO  
 CATIONAL MODELS RDS, EVS, HS, MH, PTS AN  
 D SPS  
 84B-012 ALLISON VOCATIONAL RATING FOR ON/OFF HIG  
 HWAY APPLICATIONS AVAILABLE WITH ALL PRO  
 DUCT FAMILIES  
 84C-007 PRIMARY MODE GEARS, 6 FORWARD GEARS WITH  
 MANUAL SELECTION FOR 3, 2 AND 1, AVAILA  
 BLE FOR 1000/2000 PRODUCT FAMILIES ONLY  
 84D-998 NO TCU-SECONDARY MODE: GEARS  
 341-018 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI

ON DRAIN, AXLE(S) FILL AND DRAIN  
 345-072 DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITHOUT PARK BRAKE POSITION  
 97G-006 TRANSMISSION PROGNOSTICS - DISABLED (N/A ) 2013, FOR USE IN 1000/2000 ONLY  
 348-998 NO TRANSMISSION ACCESSORIES  
 347-998 NO CLUTCH HOUSING MATERIAL  
 370-015 WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK  
 346-001 TRANSMISSION OIL CHECK AND FILL  
 368-998 NO EXTERNAL TRANSMISSION OIL FILTER F -2  
 84T-000 DISABLE - NEUTRAL RANGE ASSIST  
 84U-000 DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES  
 353-038 MARKER LAMP CONNECTION FOR BODY BUILDERS  
 34C-001 ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED  
 362-1BU CUSTOMER INSTALLED CHELSEA 230/231/236 SERIES PTO  
 363-001 PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION  
 375-998 NO AUXILIARY OIL COOLER  
 373-998 NO TRANSFER CASE  
 376-998 NO SHIFT CONTROL, TRANSFER CASE  
 371-998 NO AUX TRANS/TRANSFER CASE MTD POWER TAKEOFF  
 35T-001 SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)  
 385-998 NO MAIN DRIVELINE HARDWARE FRONT AXLE, SUSPENSION & EQUIPMENT  
 400-1A6 DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI /3.74 DROP SINGLE FRONT AXLE  
 398-998 NO FRONT AXLE RATIO  
 389-998 NO FRONT AXLE DRIVESHAFT  
 402-049 MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES  
 403-002 NON-ASBESTOS FRONT BRAKE LINING  
 419-023 CONMET CAST IRON FRONT BRAKE DRUMS  
 427-001 FRONT BRAKE DUST SHIELDS F 5  
 409-006 FRONT OIL SEALS  
 408-001 VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL  
 416-022 STANDARD SPINDLE NUTS FOR ALL AXLES  
 404-1B2 WABCO LONGSTROKE FRONT BRAKE CHAMBERS  
 405-002 MERITOR AUTOMATIC FRONT SLACK ADJUSTERS

536-050	TRW THP-60 POWER STEERING			
537-005	STEEL STEERING SHAFT			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
533-998	NO POWER STEERING OIL COOLER			
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE			
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	F	42	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS			
629-998	NO FRONT SWAYBAR			
410-001	FRONT SHOCK ABSORBERS REAR AXLE, SUSPENSION & EQUIPMENT			
420-1GK	DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE			R 30
421-614	6.14 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
382-998	NO (#1) DRIVELINE			
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE LINE WITH HALF ROUND YOKES	F	40	R 40
388-998	NO INTERAXLE (#3) DRIVELINE			
452-998	NO TRACTION EQUALIZER			
878-998	NO AIR PP & CONT-DIFF LKOUT,CAB			
87A-998	NO INTERAXLE LOCK WIRING/LOGIC			
87B-998	NO DIFFERENTIAL LOCK WIRING/LOGIC			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
425-002	REAR BRAKE DUST SHIELDS			R 5
440-006	REAR OIL SEALS			
435-998	NO DRIVELINE PARKING BRAKE			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
876-998	NO AIR PP/ELECT AXLE SHIFT,CAB			
87C-998	NO DRIVE/SHIFT AXLE WIRING/LOGIC			
898-998	NO AIR PP/ELECT-AXLE SHIFT,CHAS			
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			



622-216 AIRLINER 23,000# REAR SUSPENSION WITH CH  
AIN CLEARANCE  
034-998 NO REAR SUSPENSION PACKAGE  
621-007 AIRLINER HIGH POSITION RIDE HEIGHT  
431-001 STANDARD AXLE SEATS IN AXLE CLAMP GROUP  
624-998 NO AXLE SPACING  
628-998 NO SUSPENSION BEAMS  
888-056 IGNITION CONTROLLED ELECTRIC DUMP SWITCH  
FOR AIR SUSPENSION WITH AUTOFILL OVERRI  
DE VALVE  
87D-009 REAR AIR SUSPENSION DUMP VALVE WITH AUTO  
FILL FOR IGNITION OFF AND >5 MPH, INCLUD  
E OVERRIDE CONTROL AND BUZZER ON DUMP VA  
LVE SWITCH  
910-001 SINGLE AIR REAR SUSPENSION LEVELING VALV  
E  
623-002 TRANSVERSE CONTROL RODS  
630-998 NO REAR SUSPENSION STABILIZER  
439-004 REAR SHOCK ABSORBERS - ONE AXLE (AIR RID  
E SUSPENSION)  
035-998 NO DEAD AXLE PACKAGE  
443-998 NO PUSHER OR TAG AXLE  
456-998 NO PUSHER/TAG BRAKES  
457-998 NO BRAKE LINING-PUSHER/TAG(SCO)  
448-998 NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA  
G  
429-998 NO PUSHER/TAG BRAKE DUST SHIELDS  
442-998 NO PUSHER OR TAG OIL SEALS  
444-998 NO PUSHER OR TAG HUB CAPS  
445-998 NO PUSHER OR TAG BRAKE CHAMBERS  
458-998 NO PUSHER/TAG SLACK ADJUSTERS  
626-998 NO PUSHER OR TAG SUSPENSION  
874-998 NO PUSHER/TAG AXLE LIFT  
896-998 NO PLUMBING FOR LIFT AXLE  
87F-998 NO LIFT AXLE WIRING/LOGIC  
BRAKE SYSTEM  
018-002 AIR BRAKE PACKAGE  
490-100 WABCO 4S/4M ABS WITHOUT TRACTION CONTROL  
871-001 REINFORCED NYLON, FABRIC BRAID AND WIRE  
BRAID CHASSIS AIR LINES  
46E-001 STANDARD AIR MANAGEMENT UNIT  
904-001 FIBER BRAID PARKING BRAKE HOSE  
412-001 STANDARD BRAKE SYSTEM VALVES  
46D-002 STANDARD AIR SYSTEM PRESSURE PROTECTION  
SYSTEM  
413-002 STD U.S. FRONT BRAKE VALVE

432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F	20	
483-998	NO AIR SYSTEM OIL FILTER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-001	STEEL AIR BRAKE RESERVOIRS			
46A-998	NO AUXILIARY AIR TANK			
607-998	CHASSIS CONFIGURATION - NONE			
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHE R TANKS			
485-998	NO EXTERNAL CHARGING GLADHAND			
481-998	NO TRAILER AIR HOSE			
476-998	NO AIR HOSE HANGER			
914-998	NO PLUMBING FOR AIR TO END OF FRAME			
919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM			
484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE			
296-998	NO SPECIAL PRIMARY RECEPTACLE WIRING			
297-998	NO TRAILER CABLE RECEPTACLE			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING			
331-998	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE			
30K-998	NO HIGH CURRENT RECEPTACLE/WIRING			
30L-998	NO HIGH CURRENT TRAILER/BODY CABLE			
310-998	NO TRAILER ELECTRICAL CABLE FRAME & WHEELBASE			
545-640	6400MM (252 INCH) WHEELBASE			
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8 .73MMX277.8MM/0.344X10.94 INCH) 120KSI	F	390	R 150
547-998	NO INNER FRAME REINFORCEMENT			
548-998	NO OUTER FRAME REINFORCEMENT			
549-998	NO FRONT FRAME EXTENSION			
552-009	3050MM (120 INCH) REAR FRAME OVERHANG	F	-70	R 310
AB8- 99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.473		%
553-001	SQUARE END OF FRAME			
554-998	NO BUMPER/UNDERRIDE GUARD			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER			R 30
572-001	STANDARD REARMOST CROSSMEMBER			
AL5-	CALC'D BUMPER TO REAR TOWING C/M FACE	412.795		IN

99D

587-998 NO REAR TOWING DEVICE  
CHASSIS EQUIPMENT

674-998 NO LH OR RH BACK OF CAB ACCESS

592-998 NO DECK PLATE

556-  
1AR THREE-PIECE 14 INCH CHROMED STEEL BUMPER F 30  
WITH COLLAPSIBLE ENDS

558-001 FRONT TOW HOOKS - FRAME MOUNTED F 15

574-001 BUMPER MOUNTING FOR SINGLE LICENSE PLATE

642-998 NO BUMPER/FENDER MOUNTED SIGHT RODS

585-998 NO MUDFLAP BRACKETS

590-998 NO REAR MUDFLAPS

586-024 FENDER AND FRONT OF HOOD MOUNTED FRONT M  
UDFLAPS

551-007 GRADE 8 THREADED HEX HEADED FRAME FASTEN  
ERS

583-998 NO REAR QUARTER FENDERS

600-998 NO CAB GUARD

604-998 NO TIRE CARRIER

794-998 NO JACK OR WHEEL WRENCH PROVISION

795-998 NO TOOLS

605-003 LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS  
IS LOADED TO FRONT AND REAR SUSPENSION R  
ATINGS

601-998 NO BODY BUILDER DIAGRAMS

970-998 NO BODY TYPE  
FIFTH WHEEL & EQUIPMENT

578-998 NO FIFTH WHEEL

577-998 NO FIFTH WHEEL LOCATION

580-998 NO ADDITIONAL FIFTH WHEEL DRILLINGS

582-998 NO FIFTH WHEEL LEG HEIGHT

570-998 NO FIFTH WHEEL MOUNTING

890-998 NO FIFTH WHEEL PLUMBING

579-998 NO FIFTH WHEEL RELEASE/INST.

591-998 NO FIFTH WHEEL ADD-ONS  
FUEL TANK(S) & EQUIPMENT

206-998 NO RH FUEL TANK

201-998 NO RH AUXILIARY FUEL TANK

204-194 100 GALLON/378 LITER RECTANGULAR ALUMINU F 80 R 10  
M FUEL TANK - LH

200-998 NO LH AUXILIARY FUEL TANK

230-998 NO BETWEEN RAIL FUEL TANK

203-998 NO HYDRAULIC OIL TANK

218-005 RECTANGULAR FUEL TANK(S)

215-005 PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU

LIC TANK(S) WITH PAINTED BANDS

212-007 FUEL TANK(S) FORWARD

231-998 NO FUEL TANK MTG BETWEEN RAILS

232-998 NO ADDITIONAL FUEL PROVIDED

664-004 POLISHED STAINLESS STEEL STEP FINISH

207-998 NO FUEL TANK SCREENS

205-001 FUEL TANK CAP(S)

220-998 NO FUEL HEATER

122-1J1 DETROIT FUEL/WATER SEPARATOR WITH WATER F -5  
IN FUEL SENSOR, HAND PRIMER AND 12 VOLT  
PREHEATER

216-020 EQUIFLO INBOARD FUEL SYSTEM

20E-998 NO AUXILIARY FUEL SUPPLY AND RETURN PORT  
S

202-016 HIGH TEMPERATURE REINFORCED NYLON FUEL L  
INE

213-998 NO FUEL LINE INSULATION

221-998 NO FUEL COOLER  
TIRES

093-1KJ MICHELIN X LINE ENERGY Z 11R22.5 14 PLY F 8  
RADIAL FRONT TIRES

094-  
0GK MICHELIN XDN2 11R22.5 14 PLY RADIAL REAR R 76  
TIRES

095-998 NO PUSHER/TAG TIRES

510-998 NO SPARE TIRE  
HUBS

418-060 CONMET PRESET PLUS PREMIUM IRON FRONT HU  
BS

450-060 CONMET PRESET PLUS PREMIUM IRON REAR HUB  
S

449-998 NO PUSHER OR TAG HUBS  
WHEELS

502-1EF ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI F -50  
LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL  
S

505-720 ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, A R -28  
CCURIDE 29637 STEEL INSIDE; 22.5X8.25 10  
-HUB PILOT DISC REAR WHEELS

509-998 NO PUSHER/TAG DISC WHEELS

511-998 NO SPARE WHEEL

51A-998 NO ADDITIONAL SPARE WHEEL

524-001 POLISHED FRONT WHEELS; OUTSIDE ONLY

525-001 POLISHED REAR WHEELS; OUTSIDE OF OUTER W  
HEELS ONLY

526-998 NO POLISHED, BRIGHT STANDARD POLISH, CLE

AN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS  
 496-011 FRONT WHEEL MOUNTING NUTS  
 497-011 REAR WHEEL MOUNTING NUTS  
 498-011 NYLON WHEEL GUARDS FRONT AND REAR ALL IN  
 TERFACES  
 CAB EXTERIOR  
 829-071 106 INCH BBC FLAT ROOF ALUMINUM CONVENTI  
 ONAL CAB  
 682-998 NO SLEEPER BOX/SLEEPER CAB  
 784-998 NO AIR SHIELD OR BRACKETS  
 783-998 NO SIDE EXTENDERS  
 782-998 NO FRAME SIDE FAIRINGS  
 650-008 AIR CAB MOUNTING  
 705-998 NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS  
 648-002 NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR  
 ILLE  
 754-998 NO FENDER EXTENSION  
 678-001 LH AND RH GRAB HANDLES  
 646-023 HOOD MOUNTED CHROMED PLASTIC GRILLE  
 65X-003 CHROME HOOD MOUNTED AIR INTAKE GRILLE  
 644-004 FIBERGLASS HOOD  
 690-016 CAB FLOOR, TOE BOARD AND FIREWALL HEAT S F 5  
 HIELD  
 727-1AF SINGLE 14 INCH ROUND HADLEY AIR HORN UND F 4  
 ER LH DECK  
 726-002 DUAL ELECTRIC HORNS  
 728-001 SINGLE HORN SHIELD  
 657-  
 1CV DOOR LOCKS AND IGNITION SWITCH KEYED THE  
 SAME WITH (4) KEYS  
 575-001 REAR LICENSE PLATE MOUNT END OF FRAME  
 327-998 NO OTHER LIGHTS  
 312-038 INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH  
 CHROME BEZEL  
 302-047 LED AERODYNAMIC MARKER LIGHTS  
 315-998 NO FOG LIGHTS  
 311-012 DAYTIME RUNNING LIGHTS - LOW BEAM ONLY  
 316-998 NO SPOTLIGHTS  
 294-  
 1AY INTEGRAL LED STOP/TAIL/BACKUP LIGHTS  
 300-015 STANDARD FRONT TURN SIGNAL LAMPS  
 318-998 NO UTILITY/ADVERTISING LIGHT  
 744-  
 1BM DUAL WEST COAST BRIGHT FINISH HEATED MIR  
 RORS

797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
74A-998	NO AUXILIARY MIRROR		
74B-998	NO AUXILIARY MIRROR		
713-998	NO PERMIT PLAQUE		
729-001	STANDARD SIDE/REAR REFLECTORS		
73A-998	NO REFLECTIVE DEVICES		
677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES		
275-061	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS		
764-010	COMPOSITE EXTERIOR SUN VISOR	F	10
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S)	F	4
767-998	NO SIDE WINDOW		
769-998	NO LOWER DOOR WINDOW		
663-013	TINTED WINDSHIELD		
659-020	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED		
647-998	NO WINTERFRONT CAB INTERIOR		
707-1AM	OPAL GRAY CLOTH INTERIOR		
055-002	INTERIOR CONVENIENCE PACKAGE		
706-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
708-016	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER		
691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	F	20
693-998	NO INTERIOR DOOR STORAGE		
826-998	NO LOWER BUNK		
666-998	NO BUNK RESTRAINT		
738-998	NO CLOCK		
742-007	(2) CUP HOLDERS LH AND RH DASH		

680-006	GRAY/CHARCOAL FLAT DASH				
860-004	SMART SWITCH EXPANSION MODULE				
716-998	NO WINDSHIELD FAN				
720-002	2-1/2 LB. FIRE EXTINGUISHER	F	5		
71T-998	NO SMOKE/GAS DETECTOR				
714-001	FIRST AID KIT	F	2		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER				
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD F OR FRESH AIR INTAKE				
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH				
689-998	NO AUXILIARY HVAC UNIT				
170-015	STANDARD HEATER PLUMBING				
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRES SOR				
702-002	BINARY CONTROL, R-134A				
739-034	PREMIUM INSULATION				
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES				
96R-002	STANDARD ELECTRICAL PROTECTIVE COATING, WHITE LITHIUM GREASE ON BATTERY TERMINAL S AND RED ENAMEL PAINT IN ENGINE COMPART MENT AND ON CHASSIS CONNECTIONS				
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM				
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READ ING LIGHTS, FORWARD CAB ROOF				
655-005	LH AND RH ELECTRIC DOOR LOCKS				
740-998	NO MATTRESS				
284-023	(1) 12 VOLT POWER SUPPLY IN DASH				
710-998	NO CAB PRIVACY CURTAIN				
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10		
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	F	30		
760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRA TED CUSHION EXTENSION	F	25	R	10
762-998	NO REAR PASSENGER SEAT				
757-998	NO SEAT SKIRT(S)				
759-009	INBOARD DRIVER SEAT ARMREST, NO PASSENGE R SEAT ARMREST	F	2		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS				
699-998	NO SEAT OPTIONS				
758-025	GRAY MORDURA CLOTH DRIVER SEAT COVER				
761-025	GRAY MORDURA CLOTH PASSENGER SEAT COVER				
755-998	NO REAR PASSENGER SEAT COVERS				
763-101	BLACK SEAT BELTS				

532-002 ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN F 10  
540-015 4-SPOKE 18 INCH (450MM) STEERING WHEEL  
765-002 DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS  
870-001 BLACK GAUGE BEZELS  
732-003 WOODGRAIN DRIVER INSTRUMENT PANEL  
734-003 WOODGRAIN CENTER INSTRUMENT PANEL  
68J-998 NO SWITCH BLANK - INSTRUMENT PANEL  
486-001 LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM  
838-998 NO AIR APPLICATION GAUGE  
840-002 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES  
198-002 INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS  
721-001 97 DB BACKUP ALARM R 3  
149-013 ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL  
156-007 KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY  
157-998 NO REMOTE START  
811-042 ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED  
160-039 (1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH  
844-001 2 INCH ELECTRIC FUEL GAUGE  
845-998 NO FUEL FLOW GAUGE  
148-003 PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE  
163-998 NO ENGINE OPT/RPM CONTROLS WIRING  
87L-998 NO REMOTE ENGINE CONTROL-ENABLE  
33U-998 NO CUSTOMER DEFINED WIRING FUNCTION  
866-998 NO AXLE TEMPERATURE GAUGE  
856-001 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  
854-998 NO ENGINE OIL TEMPERATURE GAUGE  
864-001 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  
867-998 NO OUTSIDE AIR TEMPERATURE GAUGE  
830-017 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY  
438-998 NO HUBODOMETER



33A-998 NO WARNING LIGHT SWITCHES  
 372-051 CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS  
 736-998 NO OBSTACLE DETECTION SYSTEM  
 73H-998 NO CAMERA/VIDEO/IMAGING SYSTEM  
 49B-998 NO VEHICLE STABILITY ADVISOR OR CONTROL  
 73B-998 NO LANE DEPARTURE WARNING SYSTEM  
 852-002 ELECTRIC ENGINE OIL PRESSURE GAUGE  
 679-998 NO OVERHEAD INSTRUMENT PANEL  
 35M-998 NO WRG-BDY MULTIPLEX EXPNSN UNIT  
 786-998 NO POSITIONING/LOCATING SYSTEM  
 746-1B4 AM/FM/WB WORLD TUNER RADIO WITH CD PLAYER, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939 F 10  
 747-001 DASH MOUNTED RADIO  
 74D-002 RADIO WIRING WITH POWER CUTOFF WHEN VEHICLE IN REVERSE GEAR  
 750-002 (2) RADIO SPEAKERS IN CAB  
 753-001 AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF  
 748-998 NO CB RADIO/PROVISION  
 749-998 NO CB RADIO MOUNTING PROVISION  
 752-998 NO CB ANTENNA, BRACKET OR LEAD  
 78C-998 NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA  
 810-028 ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER  
 817-001 STANDARD VEHICLE SPEED SENSOR  
 812-001 ELECTRONIC 3000 RPM TACHOMETER  
 813-998 NO VEHICLE PERFORMANCE MONITOR F -5  
 8D1-998 NO DETROIT CONNECT SERVICES SELECTED  
 8Z1-998 NO ZONAR SERVICES SELECTED  
 80K-998 NO SHUTDOWN OVERRIDE  
 80L-998 NO REGEN SYSTEM TAILORING  
 80M-998 NO ALTERNATE PTO SPEED  
 80N-998 NO REDUCED ENGINE SPEED ON VSS FAILURE  
 80P-998 NO FLEET SPEC FOR PARAMETERIZATION  
 80Q-998 NO VEHICLE SPEED LIMIT - GHG  
 162-011 IDLE LIMITER, ELECTRONIC ENGINE  
 885-998 NO CONTROLS-FIRE PUMP  
 329-015 ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT  
 81Y-001 PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH

44R-998 NO ON/OFF LATCHING SMARTPLEX SWITCH  
44S-998 NO ON/OFF MOMENTARY SMARTPLEX SWITCH  
44T-998 NO ON/OFF/ON LATCHING SMARTPLEX SWITCH  
44U-998 NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH  
44V-998 NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS  
44W-998 NO UNDEFINED SMARTPLEX INDICATOR LAMPS  
264-998 NO CONTROLS-SIREN/AIR HORN  
482-998 NO TRACTOR PROTECTION VALVE  
883-998 NO TRAILER HAND CONTROL BRAKE VALVE  
836-015 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY  
660-025 SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY PROGRAMMED TO SLOWEST SPEED WITH PARK BRAKE SET  
304-003 MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS  
27D-998 NO ALTERNATING FLASHING HEADLAMP SYSTEM  
882-009 ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR  
299-013 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE  
298-039 INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS  
869-998 NO MISCELLANEOUS GAUGES  
PAINT  
065-000 PAINT: ONE SOLID COLOR  
980-5F8 CAB COLOR A: L0225EB  
WHITE ELITE BC  
986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT  
98K-998 NO FUEL TANK CABINET PAINT  
962-998 PAINT-FRT WHEEL COLOR: NONE  
966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)  
96E-998 NO PUSHER/TAG WHEEL PAINT  
96F-998 NO SPARE WHEEL PAINT  
964-998 NO BUMPER PAINT  
976-995 SUNVISOR PAINTED SAME AS CAB COLOR A  
963-003 STANDARD E COAT/UNDERCOATING  
ADDITIONAL SPECIFICATIONS  
998-998 DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION  
958-998 NO INSPECTION-LABOR ONLY  
99B-998 NO MODIFICATION CENTER SHIPPING INSTRUCTIONS

82N-998 NO SHIPPING PROTECTION

999-998 NONE

996-002 CANADA CMVSS CERTIFICATION, EXCEPT SALES  
CABS AND GLIDER KITS

RCE-  
00K STOCK FIXED CANADIAN EXCHANGE

MWF-  
004 DETROIT FRONT AXLE COVERAGE, GENERAL SER  
VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS

MWD-  
001 DETROIT REAR AXLE COVERAGE, GENERAL SERV  
ICE PLUS, 4 YEAR/UNLIMITED MILES/KILOMETRES

---