

3386

<u>DBCode</u>	<u>OTC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
			PRICE LEVEL INFORMATION		
PRL-16K		001	NEW CASCADIA PRL-16K (EFF:4/25/17)		
			GENERAL APPLICATION INFORMATION		
AA1-001		D	TRACTOR/TRAILER CONFIGURATION		
AA6-003		D	DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-005		D	LINEHAUL/LONG HAUL SERVICE		
A84-1GF		D	GENERAL FREIGHT BUSINESS SEGMENT		
AA3-998		D	NO BODY SPECIFIED		
AA2-001		D	VAN TRAILER		
AH6-001		D	SINGLE (1) TRAILER		
AA5-002		D	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
		D	TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001		D	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
		D	ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
		D	D SURFACE		
AB1-008		D	MAXIMUM 8% EXPECTED GRADE		
AA4-001		D	GENERAL FREIGHT COMMODITY		
A66-99D		D	EXPECTED FRONT AXLE(S) LOAD	13220	LBS
A68-99D		D	EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A63-99D		D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	53220	LBS
A70-99D		D	EXPECTED GROSS COMBINATION WEIGHT	80000	LBS
AC8-99D		S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	97.244	IN
A79-99D		S	EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN

A78-99D	S	EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
AL7-99D	S	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	18	IN
AM5-99D	S	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	70.724	IN
AL9-99D	S	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	71	IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	90.96	MPH
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	38.246	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.766	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-1.534	IN
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	13220	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	53220	LBS
		BASE MODEL		
001-234 D		NEW CASCADIA 126 INCH SLEEPER CAB	F 9765	R 7724
004-219 S 003		2019 MODEL YEAR SPECIFIED		
024-010 D		ELITE EXTERIOR APPEARANCE PACKAGE		
028-998 D		NO OPTIMIZED POWER TRAIN PACKAGE		
066-035 D		AERO PACKAGE, 72 INCH RAISED ROOF SLEEPER CAB		
995-1AD	D	FREIGHTLINER LEVEL I WARRANTY		
AF3-2CR	D	TRACTOR ONLY WITH NO BODY UPFIT		
002-002 D		SET BACK AXLE - TRACTOR		
019-998 D		NO TRUCK PROVISION PACKAGE		
003-001 D		LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2YE	D	DETROIT DD15 14.8L 455 HP @ 1625 RPM, 19		
	D	00 GOV RPM, 1550 LB/FT @ 975 RPM		
99C-017D	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		

99Z-004 S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D
S	OES NOT HAVE REGULATORY VEHICLE SPEED LI
S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN
S	(AES)
99D-011D	2008 CARB EMISSION CERTIFICATION - CLEAN
D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
D	FORWARD CORNER OF DRIVER DOOR)
992-001 S	50 STATE EMISSIONS CERTIFICATION
28F-014 D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
D	OVER THE ROAD REGENERATION AND VIRTUAL R
D	EGENERATION REQUEST SWITCH IN CLUSTER
79A-065D	65 MPH ROAD SPEED LIMIT
79B-000D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD
D	SPEED LIMIT
79C-998D	NO DRIVER FUEL ECONOMY INCENTIVE
79D-998D	NO PROGRESSIVE SHIFTING
79E-998 D	NO LOW RANGE TORQUE PROTECT
79F-998 D	NO FLEET MANAGEMENT
79G-998D	NO IDLE SHUTDOWN CONFIGURATION
79J-998 D	NO PTO SHUTDOWN CONFIGURATION
79K-998D	NO PTO MODE ENGINE RPM LIMIT, PTO 1
79L-998 D	PTO MODE THROTTLE OVERRIDE DISABLED
79M- D	PTO MODE BRAKE OVERRIDE - DISABLED
998	
79N-998D	NO PTO MODE CLUTCH OVERRIDE
79P-998 D	NO PTO RPM WITH CRUISE SET SWITCH
79Q-998D	NO PTO RPM WITH CRUISE RESUME SWITCH
79R-998D	NO PTO MODE COOLING FAN
79S-998 D	NO PTO MODE CANCEL VEHICLE SPEED
79T-998 D	NO PTO MODE RPM INCREMENT
79U-998D	NO PTO GOVERNOR RAMP RATE
79V-998D	NO PTO MODE DPF REGEN
79W- D	REMOTE PTO DISABLED
998	
79X-998D	NO PTO 1 SET SPEED
79Y-998D	NO PTO 2 SET SPEED
79Z-998 D	NO PTO 3 SET SPEED
80A-998D	NO ALTERNATE ROAD SPEED LIMIT
80B-998D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998D	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-998D	NO SOFT CRUISE CONTROL
80E-998 D	NO ENGINE FAN WITH RETARDER
80F-998 D	NO MAINTENANCE MONITOR

80G-998D	NO PTO MINIMUM RPM	
80H-998D	NO ACCELERATION MANAGEMENT	
80J-998 D	NO REGEN INHIBIT SPEED THRESHOLD	
80R-000S	DRIVELINE TORQUE PROTECTION - ENABLED	
84N-998D	NO TCU-ENGINE LOAD REDUCTION FUNC	
85E-998D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT	
D	CONFIGURED	
85F-998 D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C	
D	ONFIGURED	
85G-998D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT	
D	NOT CONFIGURED	
85J-998 D	NO TCU-2ND REVERSE OPTION	
	ENGINE EQUIPMENT	
13E-001 D	STANDARD OIL PAN	
105-001 D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998 D	NO ENGINE OIL DRAIN/SAMPLE	
133-004 D	ONE PIECE VALVE COVER	
014-1CTD	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE	
D	MOUNTED AIR CLEANER	
124-1D7D	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALT	
D	ERNATOR WITH REMOTE BATTERY VOLT SENSE	
292-072 D	(4) ALLIANCE MODEL 1231XOE, GROUP 31, 12	
D	VOLT MAINTENANCE FREE 4400 CCA THREADED	
D	STUD BATTERIES	
29H-998D	NO AUXILIARY BATTERIES	
290-1D3D	STEEL BATTERY BOX WITH ENCLOSED TRAY	
29G-998D	NO AUXILIARY BATTERY BOX	
282-001 D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE	
D	UNDER CAB	
29E-998 D	NO AUXILIARY BATTERY BOX MOUNTING/LOCATI	
D	ON	
291-017 D	WIRE GROUND RETURN FOR BATTERY CABLES WI	
D	TH ADDITIONAL FRAME GROUND RETURN	
289-006 D	PLASTIC BATTERY BOX COVER	
29F-998 D	NO AUXILIARY BATTERY BOX COVER	
293-058 D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F 8
D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER	
D	SEAT	
295-998 D	NO JUMPSTART POST	
306-015 D	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12	
D	.3 VOLTS FOR DESIGNATED CIRCUITS	
28E-001 S	12V POWERNET ARCHITECTURE	
80X-998S	NO BATTERY MANAGEMENT SYSTEM	
180-100 D	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTI	F 20
D	NG CLUTCH	
183-008 D	TORQUE LIMITING CLUTCH BRAKE	

181-002 D	ZERK FITTING WITH EXTENSION HOSE AT CLUT
D	CH RELEASE BEARING
107-044 D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER
D	AIR COMPRESSOR WITH SAFETY VALVE
108-002 D	STANDARD MECHANICAL AIR COMPRESSOR GOVER
D	NOR
131-013 D	AIR COMPRESSOR DISCHARGE LINE
152-041 D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT
D	ECTION SYSTEM
128-002 D	JACOBS COMPRESSION BRAKE
016-1C3D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL
D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH
D	HORIZONTAL TAILPIPE
239-001 D	STANDARD EXHAUST SYSTEM LENGTH
233-998 D	NO EXHAUST BRIGHTWORK (PLAIN)
237-052 D	RH STANDARD HORIZONTAL TAILPIPE
23U-003D	23 GALLON DIESEL EXHAUST FLUID TANK
43W-	STANDARD DIESEL EXHAUST FLUID SYSTEM COO
001 S	
S	LANT PLUMBING
30N-003D	100 PERCENT DIESEL EXHAUST FLUID FILL
23Z-998 D	NO DIESEL EXHAUST FLUID TANK COVER
43Y-004H003	STANDARD DEF TANK CAP BEHIND KICKPLATE
242-998 D	NO MUFFLER/TAILPIPE SHIELD
273-059 D	ELECTRONICALLY CONTROLLED VARIABLE SPEED
D	VISCOUS FAN DRIVE
276-001 D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC
D	H, NON ENGINE MOUNTED
110-068 D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/
D	FUEL WATER SEPARATOR WITH WATER-IN-FUEL
D	INDICATOR
114-998 D	NO BYPASS OIL FILTER
118-001 D	FULL FLOW OIL FILTER
120-998 D	NO COOLANT FILTER
165-998 D	NO OIL LEVEL REGULATOR/RESERVOIR
266-1C1D	1400 SQUARE INCH FUEL ECONOMY RADIATOR
103-039 D	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL
D	ICATE FREE) EXTENDED LIFE COOLANT
171-007 D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV
D	ALENT
172-001 D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT
D	HOSES
270-020 D	HDEP VARIABLE SPEED COOLANT PUMP WITH CO
D	OLANT FILL/EVACUATION QUICK CONNECT ON R
D	ADIATOR
168-002 D	LOWER RADIATOR GUARD

360-998 D	NO FRONT ENGINE PTO		
361-998 D	NO REAR ENGINE PTO		
138-005 D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4
D	HEATER		
141-998 D	NO COOLANT HEATER - GAS/DSL		
166-998 D	NO OIL PREHEATER		
140-022 D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		
D	UNDER LH DOOR		
134-001 D	ALUMINUM FLYWHEEL HOUSING		
155-074 D	DELCO 12V MOD 3.175-39MT+ OCP STARTER WI	F	-35
D	TH THERMAL PROTECTION AND INTEGRATED MAG		
D	NETIC SWITCH		
106-002 D	ELECTRONIC ACCELERATOR CONTROL		
	TRANSMISSION & EQUIPMENT		
342- 1BM D	EATON FULLER RTLO-16913A TRANSMISSION	F	60 R 30
343-998 D	NO TRANS CONTROL UNIT/SOFTWARE		
84B-998D	NO TCU-VOCATIONAL RATING		
84C-998D	NO TCU-PRIMARY MODE: GEARS		
84D-998D	NO TCU-SECONDARY MODE: GEARS		
97G-998D	NO TRANSMISSION PROGNOSTICS		
34C-998D	NO AUX/ACC TRANSMISSION WIRING		
345-001 D	PAINTED SHIFT LEVER, SOLID LINKAGE		
347-002 D	ALUMINUM CLUTCH HOUSING		
370-015 D	WATER TO OIL TRANSMISSION COOLER, IN RAD	F	15
D	IATOR END TANK		
346-998 D	NO TRANSMISSION OIL CHECK AND FILL		
368-998 D	NO EXTERNAL TRANSMISSION OIL FILTER		
35T-003 D	SYNTHETIC TRANSMISSION LUBE		
341-017 D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI		
D	ON FILL AND DRAIN, AXLE(S) FILL AND DRAI		
D	N		
362-998 D	NO MAIN TRANSMISSION MOUNTED PTO		
363-998 D	NO PTO MOUNTING LOCATION SPECIFIED		
	FRONT AXLE, SUSPENSION & EQUIPMENT		
400-1A7D	DETROIT DA-F-13.3-3 13,300# FF1 71.5 KPI		
D	/3.74 DROP SINGLE FRONT AXLE		
402-084 D	MERITOR 16.5X5 Q+ STAMPED SPIDER CAM FRO		
D	NT BRAKES, DOUBLE ANCHOR, FABRICATED SHO		
D	ES		
403-043 D	2011/2013-FMVSS 121 RSD FRONT BRAKE LINI		
D	NG		
419-023 D	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001 D	FRONT BRAKE DUST SHIELDS	F	5
409-006 D	FRONT OIL SEALS		
408-001 D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE		

D	R AND SIDE PLUGS - OIL		
416-022 D	STANDARD SPINDLE NUTS FOR ALL AXLES		
404-1B2 D	WABCO LONGSTROKE FRONT BRAKE CHAMBERS		
405-002 D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
40P-998 D	NO FRONT AXLE ACCESSORIES		
536-050 D	TRW THP-60 POWER STEERING		
537-005 S	STEEL STEERING SHAFT		
539-003 D	POWER STEERING PUMP		
534-015 D	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
D			
533-998 D	NO POWER STEERING OIL COOLER		
40T-002 D	SYNTHETIC 75W-90 FRONT AXLE LUBE		
620-1D8D	13,300# TAPERLEAF FRONT SUSPENSION	F	10
619-005 D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
D			
410-001 D	FRONT SHOCK ABSORBERS		
	REAR AXLE, SUSPENSION & EQUIPMENT		
420-1GR	DETROIT DA-RT-40.0-4 HT 40,000# R-SERIES	R	50
D	TANDEM REAR AXLE		
421-342 D	3.42 REAR AXLE RATIO		
424-003 D	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING	R	30
D			
42T-001 D	STANDARD REAR AXLE BREATHER(S)		
386-067 D	RPL25SD MERITOR MAIN DRIVELINE		
388-039 D	RPL20 MERITOR INTERAXLE DRIVELINE		
393-998 D	NO DRIVELINE GUARD		
452-998 D	NO TRACTION EQUALIZER		
878-019 D	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES		
D			
87A-005D	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
D			
87B-998D	NO DIFFERENTIAL LOCK WIRING/LOGIC		
423-008 D	MERITOR 16.5X8.62 Q+ STAMPED SPIDER CAM		
D	REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOCKS		
D			
433-043 D	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS		
D			
434-005 D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
D			
451-023 D	CONMET CAST IRON REAR BRAKE DRUMS		
425-002 D	REAR BRAKE DUST SHIELDS	R	10
440-006 D	REAR OIL SEALS		
426-075 D	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES	R	20
D	SPRING PARKING CHAMBERS		

428-002 D		MERITOR AUTOMATIC REAR SLACK ADJUSTERS	
41T-002 D		SYNTHETIC 75W-90 REAR AXLE LUBE	
622-218 D		AIRLINER 40,000# EXTRA DUTY REAR SUSPENS	R 160
	D	ION	
621-007 D		AIRLINER HIGH POSITION RIDE HEIGHT	
431-004 D		WELDED AXLE SEATS SUPPLIED ON REAR AXLE	R 40
624-016 D		51 INCH AXLE SPACING	
628-998 D		NO SUSPENSION BEAMS	
888-048 D		MANUAL DUMP VALVE FOR AIR SUSPENSION WIT	
	D	H GAUGE	
87D-007D		INDICATOR LIGHT AND BUZZER FOR EACH REAR	
	D	SUSPENSION CONTROL SWITCH	
910-001 D		SINGLE AIR REAR SUSPENSION LEVELING VALV	
	D	E	
623-002 D		TRANSVERSE CONTROL RODS	
439-005 D		REAR SHOCK ABSORBERS - TWO AXLES (TANDEM	
	D) (AIR RIDE SUSPENSION)	
035-998 D		NO DEAD AXLE PACKAGE	
443-998 D		NO PUSHER OR TAG AXLE	
456-998 D		NO PUSHER/TAG BRAKES	
457-998 D		NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998 D		NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA	
	D	G	
429-998 D		NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998 D		NO PUSHER OR TAG OIL SEALS	
444-998 D		NO PUSHER OR TAG HUB CAPS	
445-998 D		NO PUSHER OR TAG BRAKE CHAMBERS	
458-998 D		NO PUSHER/TAG SLACK ADJUSTERS	
626-998 D		NO PUSHER OR TAG SUSPENSION	
627-998 D		NO PUSHER/TAG AXLE SPACING	
874-998 D		NO PUSHER/TAG AXLE LIFT	
87F-998 D		NO LIFT AXLE WIRING/LOGIC	
896-998 D		NO PLUMBING FOR LIFT AXLE	
		BRAKE SYSTEM	
490-1AU	H003	WABCO 4S/4M ABS WITH TRACTION CONTROL WI	
	H	TH ATC SHUT OFF SWITCH	
871-001 D		REINFORCED NYLON, FABRIC BRAID AND WIRE	
	D	BRAID CHASSIS AIR LINES	
904-001 D		FIBER BRAID PARKING BRAKE HOSE	
412-001 D		STANDARD BRAKE SYSTEM VALVES	
413-002 D		STD U.S. FRONT BRAKE VALVE	
432-003 D		RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,	
	D	NO REAR PROPORTIONING VALVE	
480-086 D		BW AD-9SI BRAKE LINE AIR DRYER WITH HEAT	
	D	ER	

479-015 D	AIR DRYER FRAME MOUNTED		
483-003 D	BENDIX OIL COALESCING FILTER FOR AIR DRYER		
460-001 D	STEEL AIR BRAKE RESERVOIRS		
46A-998D	NO AUXILIARY AIR TANK	F	-10 R -15
607-998 D	CHASSIS CONFIGURATION - NONE		
46D-002D	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
477-004 D	PULL CABLES ON ALL AIR RESERVOIR(S)		
485-998 D	NO EXTERNAL CHARGING GLADHAND		
481-002 D	15 FOOT STRAIGHT TRAILER AIR HOSE	F	12
476-002 D	36 INCH STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER		
914-998 D	NO PLUMBING FOR AIR TO END OF FRAME		
919-998 D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM		
484-032 D	COMBINATION DUMMY GLAD HANDS AND LIGHT P LUG HOLDER MOUNTED LH BACK OF CAB WITH GROUND ACCESS		
296-010 D	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
297-027 D	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER LH BACK OF CAB		
32A-007D	SIGNAL DETECTION AND ACTUATION MODULE		
308-009 D	SUPPLEMENTAL RECEPTACLE WIRING FOR TRAILER AUXILIARY SWITCH		
331-001 D	SUPPLEMENTAL J560 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE		
303-998 D	NO ADDITIONAL TRAILER CABLE RECEPTACLE		
30K-998D	NO HIGH CURRENT RECEPTACLE/WIRING		
30L-998 D	NO HIGH CURRENT TRAILER/BODY CABLE		
334-998 D	NO ADDITIONAL SUPPLEMENTAL 7-WAY TRAILER CABLE RECEPTACLE		
310-005 D	15 FOOT DETACHABLE STRAIGHT PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR	F	2
309-998 D	NO SUPPLEMENTAL TRAILER ELEC CABLE FRAME & WHEELBASE		
545-597 D	5975MM (235 INCH) WHEELBASE		
546-1C2D	8.0MM X 88.0MM X 281.0MM STEEL FRAME (0.31X3.46X11.06 INCH) 120 KSI	F	120 R 30
547-998 D	NO INNER FRAME REINFORCEMENT		
552-012 D	1450MM (57 INCH) REAR FRAME OVERHANG		
AB8-99D	S CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.507	%

553-002 D	FLANGED TAPERED END OF FRAME				
550-001 D	FRONT CLOSING CROSSMEMBER				
559-003 D	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C				
D	ROSSMEMBER				
562-001 D	STANDARD MIDSHIP #1 CROSSMEMBER(S)				
565-002 D	HEAVY DUTY SUSPENSION CROSSMEMBER			R	30
572-001 D	STANDARD REARMOST CROSSMEMBER				
587-998 D	NO REAR TOWING DEVICE				
588-998 D	NO REAR TOW DEVICE HEIGHT				
	CHASSIS EQUIPMENT				
674-002 D	LH AND RH BACK OF CAB ACCESS	F	5	R	5
592-056 D	35 INCH (875MM) DECK PLATE FLUSH MOUNTED	F	8	R	7
D	BETWEEN RAILS				
556-1G7D	PAINTED AERODYNAMIC BUMPER WITH CHROME O				
D	VERLAY				
557-998 D	NO BUMPER STEP(S)				
558-033 D	REMOVABLE FRONT TOW HOOKS STORED ON THE	F	25		
D	CHASSIS FRAME				
574-007 D	BUMPER MOUNTING FOR (3) LICENSE PLATES				
585-1AJD	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKE			R	10
D	TS				
590-998 D	NO REAR MUDFLAPS			R	-15
586-015 D	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS				
576-998 D	NO TIRE CHAINS/HANGER				
551-003 D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS				
D	EXCLUDING FIFTH WHEEL				
583-074 D	PLASTIC QUARTER FENDERS WITHOUT LOGO WIT			R	25
D	H AERODYNAMIC SPOILER				
602-998 D	NO TOOL/STORAGE BOX #1				
61B-998D	NO TOOL/STORAGE BOX #1 MOUNTING LOCATION				
603-998 D	NO TOOL/STORAGE BOX #2				
61C-998D	NO TOOL/STORAGE BOX #2 MOUNTING LOCATION				
609-998 D	NO STORAGE BOX BRIGHTWORK				
599-998 D	NO AUXILIARY FUEL DRIVEN POWER UNIT				
69N-998D	NO AUXILIARY POWER UNIT PLUMBING				
600-998 D	NO CAB GUARD				
604-998 D	NO TIRE CARRIER				
489-998 D	NO TIRE PRESSURE CONTROL/SENSOR				
50W- 998 D	NO RIM/WHEEL TIRE PRESSURE SENSOR				
794-998 D	NO JACK OR WHEEL WRENCH PROVISION				
601-998 D	NO BODY BUILDER DIAGRAMS				
	FIFTH WHEEL & EQUIPMENT				
578-1JGD	HOLLAND FW35 ILS 24.0 INCH AIR SLIDE FIF			R	60
D	TH WHEEL - 2 INCH SLIDE INCREMENTS				
577-457 D	FIFTH WHEEL 457MM (18.0 INCHES) AHEAD OF				

D	SUSPENSION CENTERLINE			
580-998 D	NO ADDITIONAL FIFTH WHEEL DRILLINGS			
582-076 D	168MM (6.62 INCH) FIFTH WHEEL HEIGHT			
A03-99D	S CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.386		IN
570-001 D	OUTBOARD ANGLE - FIFTH WHEEL MOUNTING			
890-001 D	DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL			
579-005 D	LH FIFTH WHEEL RELEASE			
591-998 D	NO FIFTH WHEEL ADD-ONS			
581-998 D	NO FIFTH WHEEL RAMP			
	FUEL TANK(S) & EQUIPMENT			
206-162 D	150 GALLON/567 LITER ALUMINUM FUEL TANK	F	20	R 20
D	- RH			
201-998 D	NO RH AUXILIARY FUEL TANK			
204-162 D	150 GALLON/567 LITER ALUMINUM FUEL TANK	F	20	R 20
D	- LH			
200-998 D	NO LH AUXILIARY FUEL TANK			
203-998 D	NO HYDRAULIC OIL TANK			
218-006 D	25 INCH DIAMETER FUEL TANK(S)			
215-005 D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
D				
212-008 D	FUEL TANK(S) AFT			
232-998 D	NO ADDITIONAL FUEL PROVIDED			
664-001 D	PLAIN STEP FINISH			
207-998 D	NO FUEL TANK SCREENS			
205-001 D	FUEL TANK CAP(S)			
210-998 D	NO FUEL TANK DRAIN VALVES			
220-998 D	NO FUEL HEATER			
122-998 D	NO FUEL/WATER SEPARATOR			
216-020 D	EQUIFLO INBOARD FUEL SYSTEM			
20E-998 D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT			
D	S			
202-016 D	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
D				
213-998 D	NO FUEL LINE INSULATION			
221-998 D	NO FUEL COOLER			
	TIRES			
093-1KK	D MICHELIN X LINE ENERGY Z 11R22.5 16 PLY	F	10	
D	RADIAL FRONT TIRES			
094-2DH	D MICHELIN X LINE ENERGY D 11R22.5 14 PLY			R 136
D	RADIAL REAR TIRES			
095-998 D	NO PUSHER/TAG TIRES			
52M-	D NO TIRE/WHEEL BALANCING			

998				
		HUBS		
418-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM FRON		
	D	T HUBS		
450-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM REAR		
	D	HUBS		
449-998	D	NO PUSHER OR TAG HUBS		
		WHEELS		
502-1EFD		ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	F	-50
	D	LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL		
	D	S		
505-1EFD		ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI		R -200
	D	LOT ALUMINUM DISC REAR WHEELS		
509-998	D	NO PUSHER/TAG DISC WHEELS		
511-998	D	NO SPARE WHEEL		
524-001	D	POLISHED FRONT WHEELS; OUTSIDE ONLY		
525-001	D	POLISHED REAR WHEELS; OUTSIDE OF OUTER W		
	D	HEELS ONLY		
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE		
	D	ELS		
50U-011D		FLOW BELOW MOLD IN COLOR GRANITE GRAY AE		R 16
	D	RODYNAMIC REAR AXLE WHEEL COVERS		
496-011	D	FRONT WHEEL MOUNTING NUTS		
497-011	D	REAR WHEEL MOUNTING NUTS		
498-011	D	NYLON WHEEL GUARDS FRONT AND REAR ALL IN		
	D	TERFACES		
		CAB EXTERIOR		
829-111	D	126" BBC ALUMINUM CONVENTIONAL CAB		
825-002	S	STANDARD DENSITY COMPOSITE CAB ROOF		
653-004	D	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP		
651-004	D	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP		
055-012	D	ELITE COCKPIT INTERIOR APPEARANCE PACKAG		
	D	E		
056-998	D	NO MAINTENANCE PACKAGE		
057-998	D	NO NEW CASCADIA SAFETY PACKAGE		
682-077	D	72 INCH RAISED ROOF SLEEPERCAB		
784-074	D	RAISED ROOF AERODYNAMIC SPOILER		
783-024	D	20 INCH CAB/SLEEPERCAB SIDE EXTENDERS WI	F	10 R 10
	D	TH BLACK FLEXIBLE ENDS AND CHASSIS FAIRI		
	D	NG GAP FILLER PANEL		
82A-011D		UNDER CAB VANITY PANELS		
782-026	D	PAINTED FRAME SIDE FAIRINGS TO BACK OF S	F	125 R 85
	D	IDE EXTENDERS		
78H-998D		NO DRIVE WHEEL FAIRINGS - CHASSIS		
770-001	D	AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS		

779-001 D	LATCHED FRONT LEFT SIDE FAIRING PANEL FO		
D	R BATTERY ACCESS		
704-037 D	LH AND RH BAGGAGE DOORS		
650-008 D	AIR CAB MOUNTING		
648-002 D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR		
D	ILLE		
695-998 D	NO SLEEPER DOOR		
678-053 D	INTERIOR GRAB HANDLES WITH ADDED LOWER L		
D	H AND RH A PILLAR GRAB HANDLES		
646-010 D	CHROME GRILLE WITH INTEGRAL SURROUND		
644-001 D	AERODYNAMIC HOOD		
65X-007D	BLACK HOOD MOUNTED AIR INTAKE GRILLE WIT		
D	H BRIGHT ACCENT		
652-026 D	NEW CASCADIA NAMEPLATE		
690-010 D	ENGINE COMPARTMENT PREMIUM NOISE ABATEME		
D	NT AND INSULATION		
727-			
1AY D	SINGLE AIR HORN UNDER LH DECK		
726-001 D	SINGLE ELECTRIC HORN		
657-			
1CV D	DOOR LOCKS AND IGNITION SWITCH KEYED THE		
D	SAME WITH (4) KEYS		
575-001 D	REAR LICENSE PLATE MOUNT END OF FRAME		
319-998 D	NO ADVERTISING LAMP		
327-998 D	NO OTHER LIGHTS		
312-075 D	LED LOW BEAM AND HIGH BEAM HEADLIGHTS		
302-073 D	VISOR MOUNTED LED MARKER LIGHTS		
314-998 D	NO ROADLIGHTS		
315-070 D	LED FOG LIGHTS	F	6
311-001 D	DAYTIME RUNNING LIGHTS		
316-998 D	NO SPOTLIGHTS		
294-050 D	FREIGHTLINER FLANGE MOUNTED LED STOP/TAI		
D	L/TURN/BACKUP LIGHTS BY TRUCK-LITE	R	5
300-043 D	LED SIDE TURN SIGNAL		
318-1J0 D	(4) LED UTILITY LIGHTS: (2) SWIVEL MOUNT	F	6
D	ED LH AND RH OUTBOARD HIGH ON SIDE EXTEN		
D	DERS AND (2) FLUSH MOUNTED BACK OF CAB		
596-998 D	NO LOAD LOCK CARRIERS		
744-1E5 D	DUAL BRIGHT FINISH HEATED AERODYNAMIC MI		
D	RRORS WITH INTEGRAL CONVEX AND LH AND RH		
D	REMOTE		
797-001 D	DOOR MOUNTED MIRRORS		
796-001 D	102 INCH EQUIPMENT WIDTH		
74A-001D	RH DOWN VIEW MIRROR		
74B-			
1B8 D	RH AND LH HEATED BRIGHT FINISH HOOD/FEND	F	8

D	ER MOUNTED MIRRORS	
713-998 D	NO PERMIT PLAQUE	
729-001 D	STANDARD SIDE/REAR REFLECTORS	
73A-002D	REAR REFLECTIVE DEVICE	
787-998 D	NO SECURITY DEVICE	
677-998 D	NO CAB MOUNTED STEPS	
275-061 D	ELECTRIC HORN WARNING SYSTEM FOR PARK BR	
D	AKE NOT SET WITH DOOR OPEN AND ALL IGNIT	
D	ION KEY POSITIONS	
776-018 D	(2) BRIGHT FINISH SLEEPER VENTS, LH AND	
D	RH	
764-016 D	EXTERIOR SUN VISOR	F 28
768-998 D	NO REAR WINDOW	
661-016 D	SOLAR TINTED DOOR GLASS LH AND RH WITH T	
D	INTED FORWARD SIDE GLASS	
654-011 D	RH AND LH ELECTRIC POWERED WINDOWS	
766-998 D	NO FRONT ROOF WINDOW	
76Z-998 D	NO SIDE SLEEPER CAP WINDOWS	
767-998 D	NO SIDE WINDOW	
663-019 D	1-PIECE TINTED ROPED-IN WINDSHIELD	
659-007 D	8 LITER WINDSHIELD WASHER RESERVOIR, CAB	
D	MOUNTED, WITHOUT FLUID LEVEL INDICATOR	
647-998 D	NO WINTERFRONT	
	CAB INTERIOR	
707-1D6D	SADDLE TAN UP LEVEL INTERIOR	
70K-013D	SADDLE TAN WITH OREGON ASH WOODGRAIN HAR	
D	D TRIM	
706-034 D	STANDARD LH DOOR TRIM	
708-034 D	STANDARD RH DOOR TRIM	
772-001 D	BLACK MATS	
773-019 D	CARPET IN SLEEPER AREA	
771-001 D	BLACK MATS IN BAGGAGE COMPARTMENT	
785-021 D	(2) DASH MOUNTED POWER OUTLETS, LIGHTER	
D	AND ASH TRAY	
64D-011D	SLEEPER TALL CLOSET WITH WRITING SURFACE	
D	AND UPPER STORAGE	
64E-011 D	MICROWAVE SHELF WITH UPPER STORAGE AND F	
D	ACTORY INSTALLED REFRIGERATOR	
691-006 D	FORWARD ROOF MOUNTED CONSOLE WITH DOORS	F 2
D	RH AND LH	
696-998 D	NO REAR FLOOR STORAGE	
692-998 D	NO STORAGE INTERIOR, REAR	
693-019 D	LH AND RH DOOR STORAGE POCKETS INTEGRATE	
D	D INTO MOLDED DOOR PANELS	
741-020 D	STORAGE POCKET(S) MOUNTED INSIDE CABINET	
D	DOOR(S)	

826-012 D	40 INCH WIDE LIFTABLE LOWER BUNK			
745-001 D	FOLDABLE UPPER BUNK			
666-006 D	BUNK RESTRAINT FOR UPPER BUNK, TENT STYL			
D	E RESTRAINT FOR LOWER BUNK			
738-021 D	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
742-998 D	NO CUP/THERMOS HOLDER			
680-036 D	WING DASH WITH E-VAULT			
718-998 D	NO SLEEPER FAN			
720-002 D	2-1/2 LB. FIRE EXTINGUISHER	F	5	
714-001 D	FIRST AID KIT	F	2	
700-014 D	HEATER, DEFROSTER AND AIR CONDITIONER WI			
D	TH CONSTANT OUTLET TEMPERATURE CONTROL			
701-002 D	HVAC DUCTING WITH MAIN FRESH AIR FILTER			
703-005 D	MAIN HVAC CONTROLS WITH RECIRCULATION SW			
D	ITCH			
689-093 D	AUX HVAC IN SLEEPER WITH CONSTANT TEMPER	F	10	
D	ATURE & WEBASTO AIR TOP 2000 AIR HEATER			
D	W/SMARTEMP CONTROL TO BATTERY ENABLE W/K			
D	EY OFF W/O OR W/PARK BRAKE W/OPT IDLE			
170-045 D	STANDARD HEATER PLUMBING WITH BALL SHUTO			
D	FF VALVES AT SUPPLY LINES ONLY			
724-001 D	AUXILIARY HEATER PLUMBING			
130-033 D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES			
D	SOR			
698-001 D	RADIATOR MOUNTED AIR CONDITIONER CONDENS			
D	ER			
702-002 D	BINARY CONTROL, R-134A			
739-034 D	PREMIUM INSULATION			
285-013 D	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
96R-002 S	STANDARD ELECTRICAL PROTECTIVE COATING,			
S	GREASE ON BATTERY TERMINALS AND RED ENAM			
S	EL PAINT IN ENGINE COMPARTMENT AND ON CH			
S	ASSIS CONNECTIONS			
280-007 D	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
322-038 D	DOOR AND BUNK ACTIVATED LH AND RH BUNK M			
D	OUNTED LED BAGGAGE COMPARTMENT LIGHTS			
324-1B2 D	PREMIUM LED CAB LIGHTING			
325-076 D	PREMIUM LED SLEEPER LIGHTING			
32C-998 D	NO SLEEPER/BAGGAGE LAMP WIRING			
655-005 D	LH AND RH ELECTRIC DOOR LOCKS			
64C-002 D	BRIGHT DOOR HANDLES			
740-025 D	QUILTED SPRING MATTRESS IN LOWER BUNK AN	F	30	R 30
D	D SPRING MATTRESS IN UPPER BUNK			
66W-998 D	NO ENTRANCE DOOR CONTROL			
284-075 D	(2) 12 VOLT POWER OUTLETS AT BASE OF BUN			

	D	K				
337-012	D	AC 120 VOLT CAB WIRING AND AC OUTLET, WITH SHORE POWER AND XANTREX 1500 WATT MODIFIED SINE WAVE INVERTER/CHARGER SYSTEM	F	50		
710-001	D	CAB PRIVACY CURTAIN	F	5		
719-017	D	BUILT-IN REFRIGERATOR	F	20	R	20
722-004	D	TRIANGULAR REFLECTORS WITHOUT FLARES MOUNTED IN LH BAGGAGE COMPARTMENT	F	10		
756-1J7	D	ELITE 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT W/2 AIR LUMBAR,ACTIVE BOLSTER,INTEGRATED CUSHION EXTENSION, TILT,ADJUSTABLE SHOCK, MAP POCKET, HEAT & VENTILATION	F	10		
760-1J7	D	ELITE 2.0 HIGH BACK AIR SUSPENSION PASSENGER SEAT W/2 AIR LUMBAR,ACTIVE BOLSTER,INTEGRATED CUSHION EXTENSION,TILT,ADJUSTABLE SHOCK,MAP POCKET,HEAT & VENTILATION	F	10		
757-002	D	BLACK SUSPENSION COVER FOR DRIVER AND PASSENGER SEATS	F	4		
759-005	D	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	F	8		
758-039	D	MORDURA CLOTH DRIVER SEAT				
761-039	D	MORDURA CLOTH PASSENGER SEAT				
763-1AD	D	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS WITH DRIVER SEAT BELT STATUS INDICATOR LIGHT AND AUDIBLE ALARM				
725-998	D	NO SUPPLEMENTAL RESTRAINT SYSTEM				
66Q-998	D	NO EXERCISE PROVISIONS				
71U-998	D	NO MEDICAL DEVICE				
709-006	D	SLEEPER CURTAIN				
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN				
540-070	D	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS				
765-021	D	DRIVER AND PASSENGER INTERIOR SUN VISORS WITH ILLUMINATED VANITY MIRRORS CONTROLS & INSTRUMENTS				
870-001	D	BLACK GAUGE BEZELS				
734-018	D	STANDARD CENTER INSTRUMENT PANEL				
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM				
838-010	D	(1) TRACTOR AND (1) TRAILER BRAKE APPLICATION AIR GAUGE				
840-001	D	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE				
198-003	D	DASH MOUNTED AIR RESTRICTION INDICATOR WITH	F	2		

D	ITH GRADUATIONS	
721-003 D	PRECO 1040 87 DB TO 112 DB AUTOMATIC SEL	R 3
D	F-ADJUSTING BACKUP ALARM	
149-015 D	ELECTRONIC CRUISE CONTROL WITH CONTROLS	
D	ON STEERING WHEEL SPOKES	
156-007 D	KEY OPERATED IGNITION SWITCH AND INTEGRA	
D	L START POSITION; 4 POSITION OFF/RUN/STA	
D	RT/ACCESSORY	
811-044 D	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH	
D	TFT COLOR DISPLAY	
160-038 D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE	
D	CONNECTOR LOCATED BELOW LH DASH	
844-001 D	2 INCH ELECTRIC FUEL GAUGE	
845-011 D	FUEL FILTER RESTRICTION INDICATOR	
148-085 D	EMISSIONS LIMITED IDLE ADJUST	
866-998 D	NO AXLE TEMPERATURE GAUGE	
856-001 D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA	
D	UGE	
854-008 D	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER	
D	DISPLAY	
864-998 D	NO TRANSMISSION TEMPERATURE GAUGE	
867-004 D	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DI	
D	SPLAY IN DRIVER MESSAGE CENTER	
830-017 D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT	
D	HIN DRIVER DISPLAY	
438-998 D	NO HUBODOMETER	
372-998 D	NO PTO CONTROLS	
736-998 D	NO OBSTACLE DETECTION SYSTEM	
73K-998D	NO SIDE OBJECT DETECTION SYSTEM	
73H-998D	NO CAMERA/VIDEO/IMAGING SYSTEM	
49B-004H003	ELECTRONIC STABILITY CONTROL	
003	AS OF NOV 01, 2017 A NEW RULE, FMVSS 136	
	, WILL BE IN EFFECT REQUIRING ELECTRONIC	
	STABILITY CONTROL (ESC) ON ALL TYPICAL	
	6X4 TRACTORS	
73B-998D	NO LANE DEPARTURE WARNING SYSTEM	
852-002 D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
679-998 D	NO OVERHEAD INSTRUMENT PANEL	
786-998 D	NO POSITIONING/LOCATING SYSTEM	
79H-998S	NO GPS ANTENNA	
78A-998D	NO POSITION/COMMUNICATION ACCESSORY	
746-116 D	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM	F 10
D	, CD PLAYER, BLUETOOTH, IPOD INTERFACE A	
D	ND USB AND AUXILIARY INPUTS, J1939	
747-001 D	DASH MOUNTED RADIO	
750-041 D	STANDARD SPEAKER SYSTEM	

753-046 D	AM/FM/WB INTEGRATED AERO-ROOF ANTENNA		
748-019 D	COBRA 29WX NW ST FACTORY INSTALLED CB RA	F	5
D	DIO WITH WEATHERBAND		
749-001 D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-050 D	INTEGRATED AERO-ROOF CB ANTENNA		
78C-003D	INTEROPERABLE SDAR ANTENNA		
737-001 D	TELEVISION ANTENNA	F	2
810-028 D	ELECTRONIC KPH SPEEDOMETER WITH SECONDAR		
D	Y MPH SCALE, WITHOUT ODOMETER		
817-001 D	STANDARD VEHICLE SPEED SENSOR		
812-032 D	ELECTRONIC 2500 RPM TACHOMETER		
813-1C8D	DETROIT CONNECT PLATFORM HARDWARE		
8D1-105D	5 YEARS DETROIT CONNECT BASE PACKAGE (VI		
D	RTUAL TEHCNICIAN, REMOTE UPDATES, DETROI		
D	T CONNECT PORTAL ACCESS) DETROIT CONNECT		
D	PLATFORM		
8Z1-998 D	NO ZONAR SERVICES SELECTED		
6TS-998D	NO TELEMATICS SYSTEM - WIRING		
81Y-005D	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR		
D	LAMPS ONLY		
80K-998D	NO SHUTDOWN OVERRIDE		
80L-998 D	NO REGEN SYSTEM TAILORING		
80M-			
998 S	NO ALTERNATE PTO SPEED		
80N-998D	NO REDUCED ENGINE SPEED ON VSS FAILURE		
80P-998 D	NO FLEET SPEC FOR PARAMETERIZATION		
80Q-998S	NO VEHICLE SPEED LIMIT - GHG		
162-002 D	IGNITION SWITCH CONTROLLED ENGINE STOP		
329-010 D	TWO ON/OFF ROCKER SWITCHES IN THE DASH W		
D	ITH INDICATOR LIGHTS AND WIRE ROUTED TO		
D	CHASSIS AT BACK OF CAB, LABEL OPT		
264-033 D	STEERING WHEEL MOUNTED ELECTRIC HORN CON		
D	TROL		
482-001 D	BW TRACTOR PROTECTION VALVE		
883-001 D	TRAILER HAND CONTROL BRAKE VALVE		
842-998 D	NO TURBO AIR PRESSURE GAUGE		
841-998 D	NO FUEL VACUUM GAUGE		
836-015 D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR		
D	IVER DISPLAY		
660-008 D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W		
D	ITH DELAY		
304-030 D	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE		
D	ADLIGHTS SWITCH WITH PULL OUT FOR OPTION		
D	AL FOG/ROAD LAMPS		
81B-003D	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIV		
D	ER DISPLAY		

882-004	D	TWO VALVE PARKING BRAKE SYSTEM WITH WARN
	D	ING INDICATOR
299-020	D	SELF CANCELING TURN SIGNAL SWITCH WITH D
	D	IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI
	D	TTENT
298-046	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
	D	WITH 40 AMP (20 AMP PER SIDE) TRAILER LA
	D	MP CAPACITY
2J8-998	D	NO LAMP MONITORING SYSTEM
869-998	D	NO MISCELLANEOUS GAUGES
		PAINT
065-000	D	PAINT: ONE SOLID COLOR
980-5F8	D	CAB COLOR A: L0225EB
	D	WHITE ELITE BC
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
	D	PAINT
987-995	D	CHASSIS SIDE FAIRINGS PAINTED SAME AS LO
	D	WER CAB SECTION OR FENDER
962-998	D	PAINT-FRT WHEEL COLOR: NONE
966-998	D	PAINT-RR WHEEL COLOR: NONE
96E-998	D	NO PUSHER/TAG WHEEL PAINT
96F-998	D	NO SPARE WHEEL PAINT
964-5F8	D	BUMPER PAINT: L0225EB
	D	WHITE ELITE BC
976-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A
979-998	D	NO AERODYNAMIC ROOF DEVICE PAINT
963-998	D	NO UNDERCOAT
		ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	D	VIC PDI INSPECTION
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	D	IONS
958-998	D	NO INSPECTION-LABOR ONLY
999-998	H	NONE
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	D	CABS AND GLIDER KITS
RCE-		
00C	003	CONCESSION CANADIAN EXCHANGE
MWF-		
001	S	DETROIT FRONT AXLE COVERAGE, LINEHAUL, 5
	S	YEAR/750,000 MILES/1 200 000 KILOMETERS
MWD-		
002	S	DETROIT REAR AXLE COVERAGE, LINEHAUL, 5
	S	YEAR/750,000 MILES/1 200 000 KILOMETERS
